

Swimming Pool Heat Pump Specifications

Code		ITS-5.6HPP	ITS12.5HP	ITS-17HP	ITS-26HP3	ITS-55VP3	
Rated Heating Capacity *	W	5 600W	12 500W	17 000W	26 000W	55 000W	
Power Supply	V/PH/Hz	220 - 240V / 1PH / 50Hz			380 - 400V / 3PH / 50HZ		
Input Power *	kW	1,19	2,66	2,9	4,8	9,6	
Running Current *	A	5,7	12,7	14,0	8.2 x 3	16.4 x 3	
COP *		4,9	5,4	5,8	5,4	5,8	
Casing		UV Stabilised ABS	metal	metal	metal	metal	
Refrigerant		R410a	R410a	R410a	R410a	R410a	
Noise **	dB(A)	49	53	55	58	57	
Water connections		G1-½"	G1-½"	G1-½"	G1-½"	G2"	
Net Dimension	L - Net	mm	950	1110	1130	1130	1450
	W - Net		370	380	445	445	770
	H - Net		645	525	700	930	1250
Packing Dimension	L - Packing	mm	980	1130	1170	1170	1530
	W - Packing		410	410	495	495	770
	H - Packing		670	650	810	980	1400
Weight	Net Weight	kg	42	62	101	117	243
	Gross Weight		50	70	116	132	283
Flow Required	m3	2 - 4	5 - 8	7 - 11	11 - 16	23 - 35	

* Test results pertain to predetermined environmental input conditions.
Details may change depending on variations to these conditions.

** Noise levels are based on values obtained from individual component testing conducted under controlled conditions.

NOTE! Should an Industrial machine be utilised in a Residential application, it may be necessary to add sound attenuation to comply with Local Authority Regulations.

This must be clarified prior to the design of the installation.

ITS continuously pursues a policy of constant improvement; specifications are subject to change without notice.
E&OE applies.